

We Support You To Be Different



HAVESINO

We Support You To Be Different

Professional Slitter Rewinder Manufacturer

Different Quality Of Made-In-China Slitter Rewinders



Headquarters: 509 Room, Xixi Times Business Center, NO.118
Liuxia Street, Xihu District, Hangzhou

Tel: 0086-571-56133636
Fax: 0086-571-56133612

E-mail: info@havesino.com
Website: www.havesino.com



We Support You To Be Different

Havesino Tries To Support You To Be Different Through Designing, Manufacturing High Quality Machines With Our Continuous Effort. We Hope To Show You The Different Side Of Made-In-China Products: Profession And High Quality.

With Rigorous Attitude And Hard Working, We Aim At Being One Of The Most Professional And Top Slitter Rewinder Manufacturers In The World.



Hangzhou Havesino Import and Export Co.Ltd.is established on Oct.Of 2010, the mission is to introduce the quality machine to the worldwide.

2010



Hangzhou Youzheng Hengguang Machinery Co.Ltd.is established on 2018, it is part sharing holding by HAVESINO with great leading slitter rewinder team, it is manufacture the High Quality, Fast and Automatic slitter rewinder for flexible packaging industry in China and worldwide.

2016




Hangzhou Myway Auto Equipment Co.Ltd is established on Oct. Of 2016, it is 100%invested by HAVESINO, the idea is to research and manufacture the automatic packing machine for the world wide.

2018



2021



Our Global Market

More than 1000 pcs slitter rewinders are working in more than 100 countries and regions.Our machines are widely used by film, lamination, printing and flexible packaging industry all over the world.

Europe	• Czech Republic		• France		• Greece		• Italy		• Netherlands		
	• Poland		• Portugal		• Russia		• Spain		• Switzerland		
America	• Brazil	• Chile	• Colombia	• Costa Rica	• Mexico	• USA					
Asia	• Bangladesh	• India	• Israel	• Japan	• Malaysia	• Singapore	• Vietnam				
Africa	• Algeria	• Egypt	• South Africa	• Algeria	• Morocco	• Tunisia					
Oceania	• Australia	• New Zealand									

Slitter Rewinder In Factory

We are proud that as a responsible and professional slitter rewinder manufacturer, our customers speak high of our good quality machine and first class services.



About Us

HAVESINO is a producer and supplier slitter rewinders and converting machinery for the packing and label industry worldwide over 13 years, we have in excess of hundreds of machine installations worldwide! HAVESINO's primary goal is to build ergonomic machines that operators find easy to use, and maintenance personnel find easy to maintain.

We strive to show you different quality of made-in-china machines. We are committed to designing, manufacturing of high quality and professional slitter rewinders through our continual and joint effort.

With more than 20 years experienced engineers and more than 10 design and research staff, we can manufacture 650-14000mm width, 100-400m/min speed thermal paper roll slitter rewinders.



Policy And Guarantee

- 100% Test And Check Before Shipment
- Detailed Instruction And Manual For All Our Machines
- One Year Guarantee For All Key Parts Of Our Machines
- Installing And Operator Training Service Provided
- Whole-Life Free Technical Support
- Regular On-Site Routine Inspection



Primary Thermal Paper Slitting Machine

CP-S650/900C

Thermal Paper Slitting Machine



Basic Specification



1	MODEL	CP-S650/ 900C
2	SLITTING WIDTH	650/ 900MM
3	SLITTING THICKNESS	40-120GR/M2
4	UNWINDING DIAMETER	1200MM
5	REWINDING WIDTH	20MM(MIN.)
6	REWINDING DIAMETER	250MM (MAX.)
7	WORKING SPEED	200M/MIN (MAX.)



APPLICATION:

CP-S650C/900C are the most popular sale and mature primary manual thermal paper slitting machine in our factory, they are for producing various thermal paper rolls, such as POS /ATM/Cash register/ECG/Medical/ Lottery paper rolls and so on.

CP-S650/900CW

Coreless Thermal Paper Slitting Machine



Basic Specification



1	MODEL	CP-S650/ 900CW
2	SLITTING WIDTH	650/ 900MM
3	SLITTING THICKNESS	40-120GR/M2
4	UNWINDING DIAMETER	1200MM
5	REWINDING WIDTH	20MM(MIN.)
6	REWINDING DIAMETER	250MM (MAX.)
7	WORKING SPEED	200M/MIN (MAX.)



APPLICATION:

CP-S650CW/900CW are the most popular sale and mature primary manual thermal paper slitting machine with CORELESS function in our factory, can produce the paper rolls With/Without CORE both. Suitable for producing various thermal paper rolls, such as POS /ATM/Cash register/ECG/Medical/Lottery paper rolls and so on.

CP-S1200C

Thermal Paper Slitting Machine



Basic Specification



1	MODEL	CP-S1200C
2	SLITTING WIDTH	1200MM
3	SLITTING THICKNESS	40-120GR/M2
4	UNWINDING DIAMETER	1200MM
5	REWINDING WIDTH	20MM(MIN.)
6	REWINDING DIAMETER	250MM (MAX.)
7	WORKING SPEED	200M/MIN (MAX.)

APPLICATION:

CP-S1200C is the most popular sale and mature primary manual thermal paper slitting machine in our factory, suitable for producing various thermal paper rolls, such as POS /ATM/Cash register/ECG/Medical/Lottery paper rolls and so on.

CP-S1200CW

Coreless Thermal Paper Slitting Machine



Basic Specification




1	MODEL	CP-S1200CW
2	SLITTING WIDTH	1200MM
3	SLITTING THICKNESS	40-120GR/M2
4	UNWINDING DIAMETER	1200MM
5	REWINDING WIDTH	20MM(MIN.)
6	REWINDING DIAMETER	250MM (MAX.)
7	WORKING SPEED	200M/MIN (MAX.)

APPLICATION:

CP-S1200CW is the most popular sale and mature primary manual thermal paper slitting machine with CORELESS function in our factory, can produce the paper rolls With/Without CORE both. Suitable for producing various thermal paper rolls, such as POS /ATM/Cash register/ECG/Medical/Lottery paper rolls and so on.

CP-S650/900C 2L/3L/5L

2/3/5 Ply Thermal Paper Slitting Machine



Basic Specification

1	MODEL	CP-S650/900C 2L/3L/5L
2	SLITTING LAYER	2/3/5 LAYER
3	SLITTING WIDTH	900MM
4	SLITTING THICKNESS	40-120GR/M2
5	UNWINDING DIAMETER	1200MM
6	REWINDING WIDTH	25MM(MIN.)
7	REWINDING DIAMETER	160MM (MAX.)
8	REWINDING SHAFT	8-50MM
9	WORKING SPEED	180M/MIN (MAX.)

APPLICATION:

CP-S650C/900C 2L/3L/5L are our primary thermal paper slitting machine for producing various multi-layer(2ply, 3ply, 5ply) NCR/Bond paper rolls, also can do 1ply POS /ATM/Cash register/ECG/Medical/Lottery paper rolls and so on.

CP-S650/900C 1C/2C/4C

Inline Flexo Printing Thermal Paper Slitting Machine 1 Color 2 Colors 3 Colors 4 Colors



Basic Specification

1	MODEL	CP-S650/900C 1 Color 2 Colors 3 Colors 4 Colors
2	SLITTING WIDTH	650/900MM
3	SLITTING THICKNESS	40-120GR/M2
4	UNWINDING DIAMETER	1200MM
5	REWINDING WIDTH	25MM(MIN.)
6	REWINDING DIAMETER	250MM (MAX.)
7	WORKING SPEED	180M/MIN (MAX.) (WITHOUT PRINTING FUNCTION) 100M/MIN (MAX.){ WITH PRINTING FUNCTION}

APPLICATION:

CP-S650C/900C 1C/2C/4C are our inline printing(1 color/2 colors/4 colors) manual thermal paper slitting machine for printing and slitting various thermal paper rolls, such as POS /ATM/Cash register/ECG/Medical/Lottery paper rolls and so on.

Semi Automatic Thermal Paper Slitting Machine

CP-S1200/1400AW



FEATURES:

- A. Auto Core Loading Function
- B. Auto Cross Cut Function
- C. Auto Roll Push Out Function
- D. Auto Glue Spray Function
- E. Auto Packing Function(Optional)

Basic Specification

1	MODEL	CP-S1200/1400AW
2	SLITTING WIDTH	1200/1400MM
3	SLITTING THICKNESS	40-120GR/M2
4	UNWINDING DIAMETER	1200MM
5	REWINDING WIDTH	30MM(MIN.)
6	REWINDING DIAMETER	160MM (MAX.)
7	WORKING SPEED	250M/MIN (MAX.)

APPLICATION:

CP-S1200AW/1400AW are one of the most popular semi-auto thermal paper splitter for producing various thermal paper rolls, such as POS /ATM/Cash register/ECG/Medical/Lottery paper rolls and so on.

CP-S1100A/1400A



FEATURES:

- A. Auto Glue Spray Function
- B. Auto Cross Cut Function
- C. Auto Roll Push Out Function
- D. Turn Over + Hammer Unit
- E. Auto Packing Function(Optional)

Basic Specification

1	MODEL	CP-S1100A/1400A
2	SLITTING WIDTH	1100MM
3	SLITTING THICKNESS	40-120GR/M2
4	UNWINDING DIAMETER	1200MM
5	REWINDING WIDTH	30MM(MIN.)
6	REWINDING DIAMETER	30-160MM (MAX.)
7	REWINDING SHAFT	10-25MM
8	WORKING SPEED	250M/MIN (MAX.)

APPLICATION:

CP-S1100/1400A are one of our advanced semi-auto thermal paper splitter with high working speed, suitable for slitting various thermal paper rolls, such as POS /ATM/Cash register/ECG/Medical/Lottery paper rolls and so on.

CP-S1100/1400A 1C/2C/4C

Inline Printing Semi Automatic Thermal Paper Slitting Machine
1 Color 2 Colors 4 Colors



FEATURES:

- A. Auto Glue Spray Function
- B. Auto Cross Cut Function
- C. Auto Roll Push Out Function
- D. Turn Over + Hammer Unit
- E. Auto Packing Function(Optional)
- F. 1 Color/2 Colors/4 Colors Inline
- Flexo Both Front and Back Printing

Basic Specification

1	MODEL	CP-S1100/1400A 1C/2C/4C 1 Color 2 Colors 4 Colors
2	SLITTING WIDTH	1100/1400MM
3	SLITTING THICKNESS	40-120GR/M2
4	UNWINDING DIAMETER	1200MM
5	REWINDING WIDTH	30MM(MIN.)
6	REWINDING DIAMETER	30-180MM (MAX.)
7	WORKING SPEED	250M/MIN (MAX.)(WITHOUT PRINTING)
		200M/MIN(MAX)(WITH PRINTING)

APPLICATION:

CP-S1100/1400AC/CC/4C are our inline printing(1 color/2 colors/4 colors) semi-auto thermal paper slitting machine for printing and slitting various thermal paper rolls, such as POS /ATM/Cash register/ECG/Medical/Lottery paper rolls and so on.

Fully Automatic Thermal Paper Slitting Machine

CP-S1100/1400FA



FEATURES:

- A. Auto Glue Spray Function
- B. Auto Cross Cut Function
- C. Auto Roll Push Out Function
- D. Turn Over + Hammer Unit
- E. Auto Core Loading
- F. Auto Edge Press
- G. Auto Packing Function

Basic Specification

1	MODEL	CP-S1100/1400FA
2	SLITTING WIDTH	1100/1400MM
3	SLITTING THICKNESS	40-120GR/M2
4	UNWINDING DIAMETER	1200MM
5	REWINDING WIDTH	35MM(MIN.)
6	REWINDING DIAMETER	30-160MM (MAX.)
7	WORKING SPEED	300M/MIN (MAX.)(WITHOUT PRINTING)
		200M/MIN(MAX.)(WITH PRINTING)

APPLICATION:

CP-S1100/1400FA are our fully auto thermal paper slitting machine from slitting to packing, for slitting various thermal paper rolls, such as POS /ATM/Cash register/ECG/Medical/Lottery paper rolls and so on.

CP-S1100/1400 FA 1C/2C/4C

Inline Printing Fully Automatic Thermal Paper Slitting Machine
1 Color 2 Colors 4 Colors



FEATURES:

- A. Auto Glue Spray Function
- B. Auto Cross Cut Function
- C. Auto Roll Push Out Function
- D. Turn Over + Hammer Unit
- E. Auto Core Loading
- F. Auto Edge Press
- G. Auto Packing Function
- H. 1 Color/2 Colors/4 Colors Inline Flexo
Both Front and Back Printing

Basic Specification

1	MODEL	CP-S1100/1400FA 1C/2C/4C 1 Color 2 Colors 4 Colors
2	SLITTING WIDTH	1100/1400MM
3	SLITTING THICKNESS	40-120GR/M2
4	UNWINDING DIAMETER	1200MM
5	REWINDING WIDTH	35MM(MIN.)
6	REWINDING DIAMETER	30-160MM (MAX.)
10	WORKING SPEED	300M/MIN (MAX.) (WITHOUT PRINTING)
		200M/MIN(MAX.) (WITH PRINTING)

APPLICATION:

CP-S1100/1400 FA 1C/2C/4C are our inline printing(1 color/2 colors/4 colors) fully auto thermal paper slitting machine from printing, slitting and packing, for slitting various thermal paper rolls, such as POS /ATM/Cash register/ECG/Medical/Lottery paper rolls and so on.

Shrink Packing Line

Packing Line A/B



Basic Specification

1	MODEL	SHRINK PACKING LINE A/B
2	PACKING SIZE	30-80MM DIAMETER ROLL
3	PACKING QTY.	880MM
4	MAX PACKING SIZE	80MM*80MM
5	PACKING ROWS	56MM SIZE: 3 ROWS
		80MM SIZE: 2 ROWS
6	PACKING ROW QTY.	56MM SIZE: MAX 10 ROLLS/ROW
		80MM SIZE: MAX 5 ROLLS/ROW
7	BELT WIDTH	120MM
8	BELT MATERIAL	PVC
9	TRANSFER SPEED	30M/MIN(ADJUSTABLE)
10	PLACE COVER	7500*4500MM



APPLICATION:

Packing Line A/B is our popular automatic sealing and shrinking packing machine with hummer transfer line for packing thermal paper rolls with POF shrink film.

Packing Machine 350X



Basic Specification

1	MODEL	350X
2	FILM WIDTH	MAX350MM
3	PACKAGE LENGTH	30-600MM
4	PACKAGE WIDTH	50-160MM
5	PACKAGE HEIGHT	MAX 10-40MM
6	JUMBO DIAMETER	MAX 320MM
7	PACKING SPEED	40-230BAGS/MIN

APPLICATION:

Packing Machine 350X is the biscuit packaging machine with hummer transfer line, for packing thermal paper rolls like the biscuit with plastic bags.

Core Loading Machine



Basic Specification

1	CAPACITY	0.15M3
2	MINI. CORE DIAMETER	12MM
3	MAX. CORE DIAMETER	24MM
4	SPEED	15 SHAFTS/MINUTES
5	POWER	0.7 KW
6	SIZE	1000MM*1000MM*1200MM

APPLICATION:

Core Loading Machine is our hot-selling automatic core loader machine, for loading the plastic or paper core into the rewinding shaft automatically, which saves the manual loading time and labour cost.

Simple Shrink Oven



Basic Specification

1	SPECIFICATION	TEMPERATURE RANGE: 0-300°C
2	WORKING SPEED	1-15M/MIN
3	SHRINK FILM	PVC/POF
4	SIZE	800*400*200MM
5	LOADING WEIGHT	8KG
6	TOTAL WEIGHT	105KG



ECG Paper Production Line

ECG650-3ZP

Printing Folding Punching Rewinding Machine



Basic Specification

1	MAX WIDTH OF PAPER	650MM
2	MAX UNWINDING DIAMETER	1067MM
3	REPEAT PRINT LENGTH	200mm-640MM
4	MAX PRINTING WIDTH	640MM
5	MACHINE SPEED	0-150M/MIN
6	THICKNESS OF PRINTING PLATE	1.7MM
7	PLATE TAPE THICKNESS	0.38MM
8	PRINTING PAPER THICKNESS	0.10-0.25MM

HN260DK

Folding Machine



Basic Specification

1	MAX WIDTH OF PAPER	260MM
2	MIN WIDTH OF PAPER	60MM
3	MAX FOLDING LENGTH	350MM
4	MIN FOLDING LENGTH	80MM
5	MACHINE SPEED	100M/MIN
6	MACHINE DIMENSION	700*650*130MM
7	MACHINE WEIGHT	90KGS

HN500DK1L/3L/4L

Layer Copy Paper Making Machine



Basic Specification

1	MAX WIDTH OF PAPER FEEDING	500MM
2	MAX UNWINDING DIAMETER	1100MM
3	PAPER THICKNESS	40-150GR/M ²
4	WORKING SPEED	5-200M/MIN
5	FOLDING LENGTH	8-15 INCH(STANDARD 11 INCH)
6	MACHINE DEMENSION	2700MM+1100MM/LAYER*1100MM*1300MM
7	N.W	1800KGS(MAIN MACHINE)+1000KGS+150KGS/LAYER



Rotary Die Cutting Slitting Rewinding Machine

LR350SD



Basic Specification

1	MODEL	LR350SD
2	SLITTING SPEED	150M/MIN
3	DIE CUTTING SPEED	150M/MIN
4	MAX. PAPER WIDTH	350MM
5	MIN. PAPER WIDTH	100MM
6	MIN. DIE CUTTING WIDTH	15MM
7	MAX. UNWINDING DIAMETER	780MM
8	MAX. DIE CUTTING REWIND DIAMETER FOR 1 ROLLER	630MM
9	MAX. SLITTING REWIND DIAMETER FOR 2 TURRET ROLLERS	300MM/PC
10	SIZE(L*W*H)	2350*1400*1800MM
11	WEIGHT	1700KGS




LR570SD



Basic Specification

1	MODEL	LR570SD
2	SLITTING SPEED	150M/MIN
3	DIE CUTTING SPEED	150M/MIN
4	MAX. PAPER WIDTH	570MM
5	MIN. PAPER WIDTH	100MM
6	MIN. DIE CUTTING WIDTH	15MM
7	MAX. UNWINDING DIAMETER	780MM
8	MAX. DIE CUTTING REWIND DIAMETER FOR 1 ROLLER	630MM
9	MAX. SLITTING REWIND DIAMETER FOR 2 TURRET ROLLERS	300MM/PC
10	SIZE(L*W*H)	2350*1400*1800MM


LR570FA



Basic Specification

1	MODEL	LR570FA
2	SLITTING SPEED	20-150M/MIN
3	MAX. PAPER WIDTH	570MM
4	MIN. PAPER WIDTH	100MM
5	MIN. DIE CUTTING WIDTH	15MM
6	MAX. UNWINDING DIAMETER	Φ800MM
7	MAX. DIE REWIND DIAMETER	Φ200MM
8	MIN. DIE REWIND PAPER CORE INNER DIAMETER	Φ25MM
9	MAX. DIE REWIND PAPER CORE INNER DIAMETER	Φ80MM
10	JUMBO PAPER CORE INNER DIAMETER	Φ76MM
11	BOTTOM ROLLER	Φ153.69MM
12	SIZE(L*W*H)	4040*3960*1880MM
13	WEIGHT	3200KGS

Paper Core Cutter



CC330AN

Basic Specification

1	MODEL	CC330AN
2	MAX CUTTING WIDTH	330 MM
3	MINI CUTTING WIDTH	10MM
4	CUTTING INNER DIAMETER	1/2 INCH TO 1 INCH
5	CUTTING THICKNESS	MAX 5MM

CC600A

Basic Specification

1	MODEL	CC600A
2	MAX CUTTING WIDTH	600 MM
3	MINI CUTTING WIDTH	10MM
4	CUTTING INNER DIAMETER	25MM- 76MM
5	CUTTING THICKNESS	2-10MM



CC1000A

Basic Specification

1	MODEL	CC1000A
2	MAX CUTTING WIDTH	1000 MM
3	MINI CUTTING WIDTH	10MM
4	CUTTING INNER DIAMETER	76MM- 152MM
5	CUTTING THICKNESS	2-10MM



Single Blade Paper Core Cutter

CC1000/1500/2000/3000/3500AS



Basic Specification

1	MODEL	CC1000/1500/2000/3000/3500AS
2	MAX CUTTING WIDTH	3500 MM
3	MINI CUTTING WIDTH	10MM
4	CUTTING INNER DIAMETER	25-500MM
5	CUTTING THICKNESS	1-15MM

Fully Automatic Paper Core Cutter

CC1500FA

Basic Specification

1	MODEL	CC1500FA
2	CUTTING INNER DIAMETER	Φ25.6-25.8MM
3	MAX CUTTING WIDTH	1530MM
4	WEIGHT	300KGS
5	MACHINE DIMENSION	4540*3103*1769MM

